


Tobler Tower Heavy-Duty Props



- Heights of over 12m can be set up in seconds
- 6,25m extension length at only 31 kg net weight
- Quick assembly – maximum safety
- High load capacity – low net weight
- Replaceable, strong end plates



Swiss Engineering.
Swiss Technology.

Tobler Tower Heavy-Duty Props

The aluminium props for high loads.

Simplify propping high loads

Lightweight Tobler Tower aluminium heavy-duty props enable fast, effortless and safe transport and assembly thanks to their low net weight.

The fast-running thread increases efficiency and prevents costs due to dented props.

Whether as a single prop or in combination with the Tobler Tower frame as a shoring tower: Tobler Tower heavy-duty props provide efficient and reliable support when heavy loads need to be propped up.

Benefits

- At a 5 m extension length, more than 40 kN load capacity
- Prop lengths from 1,45 m to 6,25 m
- 6,25 m extension length at only 31 kg weight
- Replaceable, strong end plates
- Can be doubled to allow heights of over 12 m in a matter of seconds
- Fast length adjustment and integrated length indication
- Fast-running thread
- Safe transport due to an integrated anti-fall protection
- Optimally stackable
- Custom colour (from 500 units)



Tobler Tower Heavy-Duty Props

Setup.



35% time-saving thanks to a fast-running thread, self-cleaning

Fast wing nut, forged

Type A outer tube

Outer tube extension

Removable, strong end plates

Tobler Tower Heavy-Duty Props

Type A – The aluminium props with extensions.

TYPE A aluminium props

Article no.	Height, min.	Height, max.	Weight
84-T-110250	145cm	250cm	15,5kg
84-T-110350	195cm	350cm	19,5kg
84-T-110480	330cm	480cm	25,0kg
84-T-110550	350cm	550cm	27,0kg
84-T-110625	480cm	625cm	31,0kg

Extensions

Article no.	Height	Weight
84-T-110050	50cm	3,5kg
84-T-110100	100cm	5,6kg
84-T-110150	150cm	7,8kg
84-T-110200	200cm	10,0kg
84-T-110300	300cm	14,4kg



Type A

Permissible load capacity calculated according to EN 16031:2012

Article no.	84-T-110250	84-T-110350	84-T-110480	84-T-110550	84-T-110625
from	1,45m	1,95m	3,30m	3,50m	4,80m
to	2,50m	3,30m	4,80m	5,50m	6,25m
Pull-out element (m)	top/bottom Load (kN)	top/bottom Load (kN)	top/bottom Load (kN)	top/bottom Load (kN)	top/bottom Load (kN)
1,50	78/100	–	–	–	–
2,00	78/93	78/89	–	–	–
2,30	78/82	78/85	–	–	–
2,50	78/74	78/81	–	–	–
2,70		78/76			
2,90		78/72			
3,10		69/64			
3,30	–	60/57	78/79	–	–
3,50	–	52/50	78/76	80/80	–
3,70			78/69	80/80	
3,90			72/62	80/80	
4,10	–	–	60/56	80/80	–
4,30			51/50	68/65	
4,50	–	–	44/44	65/65	–
4,70			38/39	55/56	
4,80	–	–	36/36	48/49	49/45
5,00				44/45	48/43
5,20				37/38	44/40
5,40				33/33	40/37
5,50	–	–	–	31/31	38/36
5,60					36/34
5,80					32/31
6,00					29/28
6,25	–	–	–	–	25/24

Tobler Tower Heavy-Duty Props

Extension elements – robust, fast, safe.




Mechanism for more safety and speed

Extending a Tobler Tower heavy-duty prop to a specific size is very easy and is additionally supported by the integrated length indications.

The inner tube can be quickly extended to the required length using the spring-assisted release that is triggered by simply pushing it in by hand. The time for retracting the inner tube, e.g. for transport, is also kept to a minimum.

The core and distinctive feature of the Tobler Tower heavy-duty prop is the fast-running thread, which lets you work up to 35% faster when turning the forged wing nut.



Permissible load capacity-props restrained

Article no.	84-T-110250	84-T-110350	84-T-110480	84-T-110550	84-T-110625
from	1,45m	1,95m	3,30m	3,50m	4,80m
to	2,50m	3,30m	4,80m	5,50m	6,25m
Pull-out element (m)	restrained Load (kN)	restrained Load (kN)	restrained Load (kN)	restrained Load (kN)	restrained Load (kN)
1,50	130	–	–	–	–
2,00	130	130	–	–	–
2,30	130	130	–	–	–
2,50	115	116	–	–	–
2,70		110			
2,90		90			
3,10		80			
3,30	–	71	110	–	–
3,50	–	65	110	110	–
3,70			92	110	
3,90			77	99	
4,10	–	–	69	88	–
4,30			61	82	
4,50	–	–	55	73	–
4,70			49	65	
4,80	–	–	45	60	60
5,00				56	60
5,20				47	60
5,40				41	52
5,50	–	–	–	40	48
5,60					43
5,80					38
6,00					35
6,25	–	–	–	–	30

Tobler Tower Shoring Towers

Type A – quickly combined.

Type A shoring towers

The heavy-duty props are connected with double-frames to form a shoring tower.

Create short or longer distances between props using different frame lengths and thus achieve maximum safety for all load cases.



Tobler Tower Frames

Type A – ideal for quick assembly.




Can be assembled by a single person

The double-frames are assembled in seconds via an internal spring mechanism.

A light push is all it takes, and the clamping wedge slides into the locked position by itself: the frame is secured.

Unlike conventional connections, Tobler frames can be assembled by one person.



Open



Closed

Type A frames

- Steel

Article no.	Length	Height	Weight
84-T-210075	75 cm	50 cm	7,0 kg
84-T-210100	100 cm	50 cm	9,0 kg
84-T-210150	150 cm	50 cm	12,0 kg
84-T-210200	200 cm	50 cm	14,5 kg



Tobler Tower Heavy-Duty Props

Type M – set for high load from top to toe.

TYPE M aluminium props

Article no.	Height, min.	Height, max.	Weight
84-T-120250	145cm	250cm	15,3kg
84-T-120350	195cm	350cm	19,2kg
84-T-120480	268cm	480cm	24,6kg
84-T-120625	430cm	625cm	31,2kg

Permissible load capacity calculated according to EN 16031:2012

Article no.	84-T-120250	84-T-120350	84-T-120480	84-T-120625
from	1,45 m	1,95m	2,68m	4,30 m
to	2,50m	3,30m	4,80m	6,25 m
Pull-out element	top/bottom	top/bottom	top/bottom	top/bottom
(m)	Max. load (kN)	Max. load (kN)	Max. load (kN)	Max. load (kN)
1,50	73/76	–	–	–
1,95	67/76	88/87	–	–
2,10	64/75	83/87	–	–
2,30	61/70	73/86	–	–
2,50	60/64	64/83	–	–
2,70	–	59/78	86/71	–
2,90	–	56/72	72/70	–
3,10	–	53/65	63/69	–
3,30	–	50/55	55/68	–
3,50	–	43/45	50/64	–
3,70	–	–	46/58	–
4,30	–	–	35/38	56/44
4,70	–	–	27/29	49/43
4,80	–	–	25/27	46/42
5,20	–	–	–	41/37
5,80	–	–	–	25/28
6,25	–	–	–	20/22



Type M

Tobler Tower Heavy-Duty Props

Type M – aluminium frame support along the entire length.




Extended possibilities of connections

Type M differs geometrically from type A. Functionality and safety remain unchanged.

The modified shape of the profile recesses on the outer shell and the adjusted shape of the thread allow frame elements to be attached along the entire length in the M type.

Another advantage is the compatibility with products of other manufacturers due to identical connecting dimensions.



Tobler Tower Heavy-Duty Props

Type M – double connection is even better.

Type M shoring towers

The double frame of high-quality aluminium makes it easy for you to connect the heavy-duty props to form a shoring tower.


Frame lengths from 62 cm to 296 cm make it particularly easy for you to configure the spacing between the props with great flexibility.



Type M frames

- Aluminium

Article no.	Length	Height	Weight
84-T-220062	62 cm	50 cm	1,7 kg
84-T-220075	75 cm	50 cm	2,0 kg
84-T-220090	90 cm	50 cm	2,8 kg
84-T-220120	120 cm	50 cm	3,9 kg
84-T-220137	137 cm	50 cm	4,5 kg
84-T-220150	150 cm	50 cm	4,9 kg
84-T-220201	201 cm	50 cm	6,8 kg
84-T-220225	225 cm	50 cm	7,7 kg
84-T-220230	230 cm	50 cm	7,9 kg
84-T-220237	237 cm	50 cm	8,1 kg
84-T-220266	266 cm	50 cm	9,2 kg
84-T-220296	296 cm	50 cm	10,2 kg



Tobler Tower Frames

Type M – suitable for almost any prop.




Easy assembly

The prop frame can be easily and safely attached using vertically adjustable clamping wedges.




When locked, the clamping wedges hold the frames immovably in their freely selectable vertical position on the props.

In this way, locking and unlocking the prop frames is both easy and safe.



Can be used for different props

The frame can be used for different props at the same time by changing the position of the locking element. A total of 3 positions are possible.



Tobler Tower Heavy-Duty Props

Selection from the range of accessories.

Four-way head FC 80 × 160

- Made of steel

Article no.	Weight
84-F-210038	2,4 kg



84-F-210038

Tripod

- Made of steel

Article no.	Weight
84-T-260014	10,6 kg





84-T-260014

Compact stacking, easy to store

49 props can be stacked in storage racks and transported safely.

Article no.	Description	Weight
84-T-000625	Storage racks for aluminium props 6250	110 kg
84-T-250480	Storage racks for aluminium props 2500 – 4800	58 kg
84-T-120115	Storage racks for steel frames 120 × 80 × 115 cm	38 kg



84-T-000625

Tobler Rent Rental Park

Formwork, props, accessories.

Rent
me!



More products from Tobler Rent Rental Park

Tobler Flex – Props

- Fast-running thread – for 35% time-saving
- Load capacity: 20kN/30kN EN standard
- Fast, energy-saving work thanks to low net weight
- Hot-dip galvanisation, forged nut and 8 mm top and bottom plates guarantee longevity
- Anti-crush and anti-fall protection ensure safe working conditions



Tobler Deck – Ceiling Formwork

- Standard lengths: 90 cm, 180 cm
- Standard widths: 45, 60, 75, 90, 180 cm
- Flexible formwork elements: 55–90 × 90 cm, 55–90 × 180 cm
- Assembly from below by one person
- Great load-bearing capacity, up to 50 cm
- Powder-coated frame for unbeatable longevity
- Maximum manufacturing precision for perfect joint alignment
- Minimum cleaning effort



Tobler Manu – Handset Formwork

- Standard heights 75, 100, 150 and 300 cm
- Element widths 25, 50 and 75 cm
- Forming without a crane
- Minimal net weight
- The lightest and, at the same time, strongest manual formwork



Tobler Top – Wall Formwork

- Element heights 330, 270, 120 and 60 cm
- Element widths 240, 120, 90, 75, 72, 60, 55, 50, 45, 30 and 24 cm
- Shortened concreting time owing to a high load capacity of up to 80kN/m²
- Hot-dip galvanised
- Compatible with common wall formwork



Tobler Mission statement

Efficiency. Flexibility. Safety.



Mission statement

Together we implement solutions that are centred around the customer and their success.


We support you as a reliable partner for all matters relating to scaffolding and formwork assembly, and develop customer-specific solutions – from planning through engineering to production.

As an innovative full-service provider, we think ahead. We carry our philosophy of efficient, flexible and safe construction further into the industry.

With our products you can rely on excellent functionality and the highest production quality.



Swiss Engineering.
Swiss Technology.



Tobler Products

Enjoying industrialized construction.



MATO Scaffolding

	MATO 1	Facade scaffolding.
	MATO 2	Facade scaffolding.
	MATO 3	All-in-one scaffolding systems.
	MATO 8	Modular scaffold system.
	MATO C	Compatible systems.
	MATO Connect	Bridging systems.
	MATO Pro	Roof scaffolding systems.
	MATO R	Rolling towers.
	MATO T	Scaffoldings for construction sites.
	MATO Z	Scaffolding accessories.

Tobler Construction

	Tobler Industry	Mounting safely.
	Tobler Trading	Buying at a reasonable price.
	Tobler Storage	Creating order more efficiently.
	Tobler Nature	Safe off-road.
	Tobler Special	Custom-made products made to measure.

Tobler Formwork

	Tobler Rex	Girder wall formworks.
	Tobler Varia	Special formworks.
	Tobler Desk	Slab tables.
	Tobler Flex	Props, beams, panels.
	Tobler Project	Special formworks.
	Tobler Top	Wall formwork.
	Tobler Manu	Handset formwork.
	Tobler Deck	Slab formwork.
	Tobler Tower	Heavy duty supports.
	Tobler Rent	Rental park.
	Tobler Care	Renovation.

Tobler Occasions

	Tobler Occasions Formworking	Good, even used.
	Tobler Occasions Scaffolding	Worth the price.




At home in Switzerland – anchored in Europe

We are developing the internationalisation of
our product range.



**Order
& advice**
schalung@tobler-ag.com
+41 71 886 06 37

Online order



« Our heavy-duty props are
lightweight and offer handling and
assembly speed advantages. »



Patrice Eggermann

Field Sales
Formwork

